

Aluminized Fireman Suit

Model: DTXF-93-I IMPA: 330901

Technical Specifications

- **Material:** Flame-retardant fabric with aluminum foil coating
- **Heat Radiation Resistance:** Under a heat radiation of 10 kW/m², the temperature increase on the inner surface did not exceed 25°C.
- **Waterproof Properties:** ≥4000

Certifications

- **Approval:** CCS certificate
- **Standard:** Chapter 3 of International Code for Fire Safety Systems as amended by MSC.339(91).



MARINE SAFETY ESSENTIALS

We Offer On-Board Firefighting And
Marine Safety Essentials

Disclaimer: Accuracy of all technical data and information are provided to the best knowledge of the manufacturer. Properties, specifications and application parameters are subject to change without notice. The manufacturer does not undertake any liability of any kind whatsoever.

Mars Safety International Pte Ltd is the Singapore Overseas Branch of Dongtai Martian Ship Equipment Co., Ltd.

No.1 Tuas Link 1, Singapore 638583 Tel.: +65 6862 1212 Fax: +65 6897 9959 For Orders, please send enquiry to Sales@mars-safety.com



Product Features

- Essential for situations requiring protection against high radiant heat, such as firefighting near fires, industrial kiln operations, or during emergency response situations involving intense heat.
- Available as a set that includes various pieces such as the hood, jacket, trousers, gloves, boot covers, boots, and helmet.
- The base material is made from flame-retardant fibers that are engineered to resist ignition and protect the wearer from heat and fire, while the aluminum coating reflects radiant heat and minimizes the risk of burns and heat stress.
- Designed for comfort and ease of movement, allowing firefighters to perform their duties effectively.
- Encapsulated SCBA design.
- Comes with left thigh holder for firefighting tool and right thigh pocket for storing item.

Add-On Accessories (Separate Order)



Belt



MARINE SAFETY ESSENTIALS

We Offer On-Board Firefighting And
Marine Safety Essentials

Disclaimer: Accuracy of all technical data and information are provided to the best knowledge of the manufacturer. Properties, specifications and application parameters are subject to change without notice. The manufacturer does not undertake any liability of any kind whatsoever.